

NEW-TRONICS ANTENNA PRICE SHEET
COMMERCIAL / TWO WAY ANTENNAS & ACCESSORIES

VHF MODELS			<u>SPIRIT ANTENNAS</u>	
HSU-12733	127-133	UNITY N-Female	Standard Environment	384.00
HSU-15060	150-160	UNITY N-Female	Standard Environment	384.00
HSU-16070	160-170	UNITY N-Female	Standard Environment	384.00
HSU-21626	216-226	UNITY N-Female	Standard Environment	384.00
HDU-12733	127-133	UNITY N-Female	Heavy Duty Environment	408.00
HDU-15060	150-160	UNITY N-Female	Heavy Duty Environment	408.00
HDU-16070	160-170	UNITY N-Female	Heavy Duty Environment	408.00
HDU-21626	216-226	UNITY N-Female	Heavy Duty Environment	408.00
HS3-15060	150-160	3dBd N-Female	Standard Environment	714.00
HS3-16070	160-170	3dBd N-Female	Standard Environment	714.00
HS3-21626	216-226	3dBd N-Female	Standard Environment	714.00
HD3-15060	150-160	3dBd N-Female	Heavy Duty Environment	852.00
HD3-16070	160-170	3dBd N-Female	Heavy Duty Environment	852.00
HD3-21626	216-226	3dBd N-Female	Heavy Duty Environment	852.00
HD6-21626	216-226	6dBd N-Female	Heavy Duty Environment	1,558.50
HX6-15060	150-160	6dBd N-Female	Extreme Environment	1,770.00
HX6-16070	160-170	6dBd N-Female	Extreme Environment	1,770.00
HX6-21626	216-226	6dBd N-Female	Extreme Environment	1,770.00
UHF MODELS				
HS3-40630	406-430	3dBd N-Female	Standard Environment	810.00
HS3-45070	450-470	3dBd N-Female	Standard Environment	810.00
HS3-47090	470-490	3dBd N-Female	Standard Environment	810.00
HS3-49051	490-512	3dBd N-Female	Standard Environment	810.00
HS6-40630	406-430	6dBd N-Female	Standard Environment	954.00
HS6-45070	450-470	6dBd N-Female	Standard Environment	954.00
HS6-47090	470-490	6dBd N-Female	Standard Environment	954.00
HS6-49051	490-512	6dBd N-Female	Standard Environment	954.00
HD6-40630	406-430	6dBd N-Female	Heavy Duty Environment	1,110.00
HD6-45070	450-470	6dBd N-Female	Heavy Duty Environment	1,110.00
HD6-47090	470-490	6dBd N-Female	Heavy Duty Environment	1,110.00
HD6-49051	490-512	6dBd N-Female	Heavy Duty Environment	1,110.00
HX6-40630	406-430	6dBd N-Female	Extreme Environment	1,350.00
HX6-45070	450-470	6dBd N-Female	Extreme Environment	1,350.00
HX6-47090	470-490	6dBd N-Female	Extreme Environment	1,350.00
HX6-49051	490-512	6dBd N-Female	Extreme Environment	1,350.00
HD9-35065	350-365	9dBd N-Female	Heavy Duty Environment	1,440.00
HD9-36070	360-370	9dBd N-Female	Heavy Duty Environment	1,440.00
HD9-36580	365-380	9dBd N-Female	Heavy Duty Environment	1,440.00
HD9-40630	406-430	9dBd N-Female	Heavy Duty Environment	1,440.00
HD9-45070	450-470	9dBd N-Female	Heavy Duty Environment	1,440.00
HD9-47090	470-490	9dBd N-Female	Heavy Duty Environment	1,440.00
HD9-49051	490-512	9dBd N-Female	Heavy Duty Environment	1,440.00
HX9-40630	406-430	9dBd N-Female	Extreme Environment	1,590.00
HX9-45070	450-470	9dBd N-Female	Extreme Environment	1,590.00
HX9-47090	470-490	9dBd N-Female	Extreme Environment	1,590.00
HX9-49051	490-512	9dBd N-Female	Extreme Environment	1,590.00
HX10-40630	406-430	10dBd N-Female	Extreme Environment	1,770.00
HX10-45070	450-470	10dBd N-Female	Extreme Environment	1,770.00
HX10-47090	470-490	10dBd N-Female	Extreme Environment	1,770.00
HX10-49051	490-512	10dBd N-Female	Extreme Environment	1,770.00
800/900 MHz				
HM6-82480	824-880	6dBd N-Female	Marine Environment	576.00
HM6-82496	824-896	6dBd N-Female	Marine Environment	576.00
HS6-80669	806-869	6dBd N-Female	Standard Environment	840.00
HS6-82496	824-896	6dBd N-Female	Standard Environment	840.00
HS6-89060	890-960	6dBd N-Female	Standard Environment	840.00
HS6-92040	920-940	6dBd N-Female	Standard Environment	840.00
HS6-90142	901-942	6dBd N-Female	Standard Environment	840.00
HS6-90228	902-928	6dBd N-Female	Standard Environment	840.00

NEW-TRONICS ANTENNA PRICE SHEET

HD6-80669	806-869	6dBd N-Female	Heavy Duty Environment	900.00
HD6-82496	824-896	6dBd N-Female	Heavy Duty Environment	900.00
HD6-89060	890-960	6dBd N-Female	Heavy Duty Environment	900.00
HD6-92040	920-940	6dBd N-Female	Heavy Duty Environment	900.00
HD6-90142	901-942	6dBd N-Female	Heavy Duty Environment	900.00
HD6-90228	902-928	6dBd N-Female	Heavy Duty Environment	900.00
HS9-80669	806-869	9dBd N-Female	Standard Environment	990.00
HS9-82496	824-896	9dBd N-Female	Standard Environment	990.00
HS9-89060	890-960	9dBd N-Female	Standard Environment	990.00
HS9-92040	920-940	9dBd N-Female	Standard Environment	990.00
HS9-90142	901-942	9dBd N-Female	Standard Environment	990.00
HS9-90228	902-928	9dBd N-Female	Standard Environment	990.00
HD9-80669	806-869	9dBd N-Female	Heavy Duty Environment	1,152.00
HD9-82496	824-896	9dBd N-Female	Heavy Duty Environment	1,152.00
HD9-89060	890-960	9dBd N-Female	Heavy Duty Environment	1,152.00
HD9-90142	901-942	9dBd N-Female	Heavy Duty Environment	1,152.00
HD10-80669	806-869	10dBd N-Female	Heavy Duty Environment	1,500.00
HD10-82496	824-896	10dBd N-Female	Heavy Duty Environment	1,500.00
HD10-89060	890-960	10dBd N-Female	Heavy Duty Environment	1,500.00
HD10-90142	901-942	10dBd N-Female	Heavy Duty Environment	1,500.00
HX12-80669	806-869	12dBd N-Female	Extreme Environment	2,398.80
HX12-82496	824-896	12dBd N-Female	Extreme Environment	2,398.80
HX12-89060	890-860	12dBd N-Female	Extreme Environment	2,398.80
HX12-92040	920-940	12dBd N-Female	Extreme Environment	2,398.80
HX12-90142	901-942	12dBd N-Female	Extreme Environment	2,398.80
HX12-90228	902-928	12dBd N-Female	Extreme Environment	2,398.80

SPIRIT SERIES ACCESSORIES

RTA-150HS/HD	139-174	3 dB	1/4 Wave Reflector Tube	264.00
RTA-150HX	139-174	3 dB	1/4 Wave Reflector Tube	264.00
RTA-450HS/HD	430-512	3 dB	1/4 Wave Reflector Tube	240.00
RTA-450HX	430-512	3 dB	1/4 Wave Reflector Tube	240.00
RTA-850HS/HD	800-896	3 dB	1/4 Wave Reflector Tube	240.00
RTA-850HX	800-896	3 dB	1/4 Wave Reflector Tube	240.00
SMK-150HS/HD	136-174	N/A	Tower Side Mount Kit	588.00
SMK-150HX	136-174	N/A	Tower Side Mount Kit	588.00
SMK-450HS/HD	430-512	N/A	Tower Side Mount Kit	504.00
SMK-450HX	430-512	N/A	Tower Side Mount Kit	504.00
SMK-850HS/HD	800-896	N/A	Tower Side Mount Kit	420.00
SMK-850HX	800-896	N/A	Tower Side Mount Kit	420.00

LOW BAND

G-2537	25-37	4dB SO-239	End-fed Collinear	300.00
G-3754	37-54	4dB SO-239	End-fed Collinear	300.00

VHF MODELS

G3-136	136-148	3dB SO-239	Aluminum/Fiberglass	118.80
G3-150	148-174	3dB SO-239	Aluminum/Fiberglass	118.80
G5-136	136-148	5dB N Female	Aluminum/Fiberglass	288.00
G5-150-1	148-155	5dB N Female	Aluminum/Fiberglass	288.00
G5-150-2	154-161	5dB N Female	Aluminum/Fiberglass	288.00
G5-150-3	161-168	5dB N Female	Aluminum/Fiberglass	288.00
G5-150-4	168-174	5dB N Female	Aluminum/Fiberglass	288.00
G7-136	136-144	7dBd N Female	Aluminum/Fiberglass	390.00
G7-150-1	148-155	7dBd N Female	Aluminum/Fiberglass	390.00
G7-150-2	154-161	7dBd N Female	Aluminum/Fiberglass	390.00
G7-150-3	161-168	7dBd N Female	Aluminum/Fiberglass	390.00
G7-150-4	168-174	7dBd N Female	Aluminum/Fiberglass	390.00

UHF MODELS

G7-20307	203-207	7dBd N Female	Aluminum/Fiberglass	390.00
G7-20812	208-212	7dBd N Female	Aluminum/Fiberglass	390.00
G7-21317	213-217	7dBd N Female	Aluminum/Fiberglass	390.00
G7-22327	223-227	7dBd N Female	Aluminum/Fiberglass	390.00
G7-22832	228-232	7dBd N Female	Aluminum/Fiberglass	390.00
G7-23337	233-237	7dBd N Female	Aluminum/Fiberglass	390.00
G7-23842	238-242	7dBd N Female	Aluminum/Fiberglass	390.00
G7-24347	243-247	7dBd N Female	Aluminum/Fiberglass	390.00
G7-24750	247-250	7dBd N Female	Aluminum/Fiberglass	390.00
G7-24852	248-252	7dBd N Female	Aluminum/Fiberglass	390.00
G7-25357	253-257	7dBd N Female	Aluminum/Fiberglass	390.00
G7-25862	285-262	7dBd N Female	Aluminum/Fiberglass	390.00

NEW-TRONICS ANTENNA PRICE SHEET

G6-26367	263-267	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-26872	268-272	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-27377	273-277	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-27882	278-282	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-28387	283-287	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-28892	288-292	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-30812	308-312	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-31822	318-322	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-40813	408-413	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-41016	410-416	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-41113	411-413	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-42030	420-430	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-1	450-458	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-2	456-464	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-3	462-470	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-4	470-478	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-5	478-484	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-6	484-492	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-7	492-498	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-8	498-505	6dBd N Female	Tapered Fiberglass Radome	354.00
G6-450-9	505-512	6dBd N Female	Tapered Fiberglass Radome	354.00
<u>NMO MOBILE ANTENNA</u>				
LMG-150	148-174	3.4dB NMO	5/8 wave coil, chrome top/bottom push pin	40.80
LMG-450-3	450-470	3.4dB NMO	5/8 wave coil, chrome top/bottom push pin	40.80
LMG-450-5	450-470	5.0dB NMO	Closed Coil whip,chrome top/bottom push pin	45.20
LMG-806-3	806-896	3 dB NMO	Closed Coil whip, chrome top/bottom push pin	37.80
LMG-896-3	896-940	3 dB NMO	Closed Coil whip, chrome top/bottom push pin	37.80
LMG-806-5	806-865	5 dB NMO	Closed Coil whip, chrome top/bottom push pin	48.60
LMG-825-5	825-896	5 dB NMO	Closed Coil whip, chrome top/bottom push pin	48.60
LMG-896-5	896-940	5 dB NMO	Closed Coil whip, chrome top/bottom push pin	48.60
LMC-150	148-174	3.4dB NMO	5/8 wave NMO coil, chrome top	38.40
LMC-450-3	450-470	3.4dB NMO	5/8 wave NMO coil, chrome top	38.40
LMC-450-5	450-470	5.0dB NMO	Closed Coil, NMO coil, chrome top	40.80
LMB-150	148-174	3.4dB NMO	5/8 Wave NMO black coil	38.40
LMB-450-3	450-470	3.4dB NMO	5/8 Wave NMO black coil	38.40
LMB-450-5	450-470	5.0dB NMO	Closed Coil ,NMO black coil	40.80
BBG-150-3	148-174	3.4dB NMO	5/8 wave coil & swivel ball	74.40
BBG-450-3	450-470	3.4dB NMO	5/8 wave coil & swivel/ball	74.40
BBG-450-5	450-470	5.0dB NMO	Closed Coil swivel ball/spring	81.60
BBGT-150-3	148-174	3.4dB PL-259	5/8 Wave, Swivel ball/spring, trunk mount	74.80
BBGT-450-3	450-470	3.4dB PL-259	5/8 Wave, Swivel ball/spring, trunk mount	74.80
BBGT-450-5	450-470	5.0dB PL-259	Closed Coil, Swivel ball/spring, trunk mount	81.60
BBGT-450M-5	450-470	5.0dB MINI	Closed Coil, Swivel ball/spring, trunk mount	81.60
<u>NMO CHROME NUT MOBILE ANTENNAS</u>				
QWNMO-150	152-162	Unity NMO	1/4 wave	10.50
QWNMO-450	450-470	Unity NMO	1/4 wave	10.50
QWNMO-806	806-896	Unity NMO	1/4 wave	10.50
QWNMO-896	896-940	Unity NMO	1/4 wave	10.50
<u>NMO MOBILE MOUNTS</u>				
CHMA		Butt cut	3/8" Hole Mount without Connector	21.60
CHMA-B		BNC	3/8" Hole Mount w/Crimp-on BNC	23.40
CHMA-N		"N"	3/8" Hole Mount w/Crimp-on "N"	23.40
CHMA-P		PL-259	3/8" Hole Mount w/Crimp-on PL-259	23.40
CHMA-SMA		SMA	3/8" Hole Mount w/Crimp-on SMA	23.40
CHMA-T		TNC	3/8" Hole Mount w/Crimp-on TNC	23.40
CHMA-U		Mini UHF	3/8" Hole Mount w/Crimp-on Mini UHF	23.40
CHMB		Butt cut	3/4" Hole Mount without Connector	21.60
CHMB-B		BNC	3/4" Hole Mount w/Crimp on BNC	23.40
CHMB-N		"N"	3/4" Hole Mount w/Crimp on "N"	23.40
CHMB-P		PL-259	3/4" Hole Mount w/Crimp on PL-259	23.40
CHMB-T		TNC	3/4" Hole Mount w/Crimp on TNC	23.40
CHMB-U		Mini UHF	3/4" Hole Mount w/Crimp on Mini UHF	23.40
CMMA-U		PL-259	NMO mag mount 10 oz w/solder on PL-259	35.40
CTMA		Butt cut	Trunk Mount without Connector	32.40
CTMA-B		BNC	Trunk Mount w/Crimp on BNC	38.40
CTMA-P		PL-259	Trunk Mount w/Crimp on PL-259	38.40
CTMA-T		TNC	Trunk Mount w/Crimp on TNC	38.40
CTMA-U		Mini UHF	Trunk Mount w/Crimp on Mini UHF	38.40

NEW-TRONICS ANTENNA PRICE SHEET

FIELD TUNABLE UNITY GAIN ANTENNAS

THF	140-500	Unity PL-259	Trunk Mount 1/4 Wave	34.80
UGM	140-500	Unity BNC	Magnetic Mount 1/4 Wave	31.80
UGM-PL	140-500	Unity PL-259	Magnetic Mount 1/4 Wave	31.80
UHT-1	140-500	Unity Butt cut	Hole Mount 1/4 Wave	27.60

VHF TRUNK MOUNT ANTENNAS

RUT-150	148-174	3.4dB PL-259	5/8 Wave One piece trunk mount w/cable	37.80
RUT-150B	148-174	3.4dB BNC	5/8 Wave One piece trunk mount w/cable	37.80
RUT-150M	148-174	3.4dB Mini	5/8 Wave One piece trunk mount w/cable	37.80

UHF TRUNK MOUNT ANTENNAS

RUT-450-3	450-470	3.4dB PL-259	5/8 Wave One piece trunk mount w/cable	37.80
RUT-450-3B	450-470	3.4dB BNC	5/8 Wave One piece trunk mount w/cable	37.80
RUT-450-3M	450-470	3.4dB Mini	5/8 Wave One piece trunk mount w/cable	37.80
RUT-450-5	450-470	5.0dB PL-259	Closed Coil One piece trunk mount w/cable	40.20
RUT-450-5B	450-470	5.0dB BNC	Closed Coil One piece trunk mount w/cable	40.50
RUT-450-5M	450-470	5.0dB Mini	Closed Coil One piece trunk mount w/cable	40.50

VHF MAGNETIC MOUNT ANTENNAS

RUM-150	148-174	3.4dB PL-259	5/8 wave one piece magnet mount w/cable	37.80
RUM-150B	148-174	3.4dB BNC	5/8 wave one piece magnet mount w/cable	37.80
RUM-150M	148-174	3.4dB Mini	5/8 wave one piece magnet mount w/cable	37.80

UHF MAGNETIC MOUNT ANTENNAS

RUM-450-3	450-470	3.4dB PL-259	5/8 wave one piece magnet mount w/cable	37.80
RUM-450-3B	450-470	3.4dB BNC	5/8 wave one piece magnet mount w/cable	37.80
RUM-450-3M	450-470	3.4dB Mini	5/8 wave one piece magnet mount w/cable	37.80
RUM-450-5	450-470	5.0dB PL-259	Closed Coil One piece magnet mount w/cable	40.20
RUM-450-5B	450-470	5.0dB BNC	Closed Coil One piece magnet mount w/cable	40.20
RUM-450-5M	450-470	5.0dB Mini	Closed Coil One piece magnet mount w/cable	40.20

VHF HANDHELD MAGNETIC MOUNT ANTENNA

MUM-450-3	450-470	3.4dB BNC	Base Loaded 5/8 Wave	27.48
MUM-450-5	450-470	5.0dB BNC	Closed Coil Collinear	40.80

800 MHz MOBILE ANTENNAS

CMT-800	824-896	3.2dB TNC	5/8 Wave magnetic mount w/cable	20.20
CMT-800M	824-896	3.2dB Mini	5/8 Wave magnetic mount w/cable	20.20
CMT-800-FME	824-896	3.2dB FME	5/8 Wave magnetic mount w/cable	20.20
CMT-800-SMA	824-896	3.2dB SMA	5/8 Wave magnetic mount w/cable	20.20
CMT-800-RF	824-896	3.2dB N	5/8 Wave magnetic mount w/cable	20.20

ANTENNA ACCESSORIES & SPRING MOUNTS

SSM-1	3/8 x 24	Professional 4" stainless steel spring, 2" stainless steel ball w/mount	87.60
SSM-2	3/8 x 24	Professional 2" stainless steel ball with mount	47.40
SSM-3	3/8 x 24	Professional 4" stainless steel spring	47.40
C-30	3/8 x 24	Heavy duty chrome plated 4" spring	29.40
C-32	3/8 x 24	Heavy duty 1 1/2" chrome plated ball mount	31.80
QD-2	3/8 x 24	Quick Disconnect, Stainless Steel 3/8x24	40.80

LOW BAND STAINLESS STEEL TAPERED WHIPS

1C-56	3/8 x 24	102" x .200 Tapered with Ferrule (Sold 6 per tube) priced per item	35.40
1C-56P	3/8 x 25	102" x .200 Tapered with Ferrule (1 per tube) priced per item	42.00
1C-56A	3/8 x 24	102" x .200 Tapered removable stainless ferrule (Sold 6 per tube) priced per item	34.20

NEW-TRONICS ANTENNA PRICE SHEET

YAGI STANDARD

YU10-80669	806-869	10dBd TNC, UHF,N, SMA	U-Channel Construction	118.80
YU10-82496	824-896	10dBd TNC, UHF,N, SMA	U-Channel Construction	118.80
YU10-89028	890-928	10dBd TNC, UHF,N, SMA	U-Channel Construction	118.80
YU10-89060	890-960	10dBd TNC, UHF,N, SMA	U-Channel Construction	118.80
YU10-90228	902-928	10dBd TNC, UHF,N, SMA	U-Channel Construction	118.80
YU10-92860	928-960	10dBd TNC, UHF,N, SMA	U-Channel Construction	118.80

YAGI EXTREME

YG10-80669	806-869	10dBd N Female	Extreme Environment	202.80
YG10-82496	824-896	10dBd N Female	Extreme Environment	202.80
YG10-89060	890-960	10dBd N Female	Extreme Environment	202.80

YAGI CABLES

8240-20			20 ft RG58/U coax for yagi antenna w/female Mini and Male TNC	34.71
8240-50			50 ft RG58/U coax for yagi antenna w/female Mini and Male TNC	66.00